INTERNATIONAL JOURNAL OF TECHNOLOGY AND ACADEMIC RESEARCH

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

PROBLEMS ARISING WHEN USING THE MICROSOFT OUTLOOK 2010 EMAIL CLIENT WITH MICROSOFT EXCHANGE SERVER 2019 AND THEIR SOLUTIONS

B.N. UMARALIYEV
Institute of Information and Communication Technologies and Military Communications,
University of Military Security and Defense of the Republic of Uzbekistan
doi:https://doi.org/10.5281/zenodo.24022264

Abstract: This article analyzes the technical and software problems that arise when the Microsoft Outlook 2010 email client is used together with Microsoft Exchange Server 2019. It examines issues related to software version compatibility, the MAPI over HTTP and Outlook Anywhere protocols, the Autodiscover service, DNS records, TLS certificates, authentication, and network connectivity. Based on Microsoft's official support documentation, the article explains the protocol-level connectivity options available when Outlook 2010 SP2 and the relevant updates are installed. In addition, it presents a methodology for organizing laboratory testing, a diagnostic algorithm, PowerShell commands, and troubleshooting recommendations. The article also specifically notes that, as of 2026, both Outlook 2010 and Exchange Server 2019 have reached the end of their support lifecycle, which substantiates the need for a secure migration.

Keywords: Microsoft Outlook 2010, Exchange Server 2019, email, MAPI over HTTP, Outlook Anywhere, Autodiscover, DNS, TLS, Active Directory, PowerShell, diagnostics, information security.

Email occupies an important place in the information exchange infrastructure of modern organizations. It is used for official correspondence, document exchange, task coordination, and workflow management. Centralized mail systems make it possible to manage user accounts, mailboxes, calendars, and address books in a unified environment.

Microsoft Exchange Server is a server platform designed for building a corporate email infrastructure, whereas Microsoft Outlook is a client application that users employ to work with email messages and other mail items. Communication between Outlook and Exchange is carried out through mechanisms such as MAPI, MAPI over HTTP, or Outlook Anywhere.

In practice, organizations sometimes keep legacy client applications in use while running newer server platforms. In such cases, connection problems cannot be explained by a single parameter: the client version, updates, server virtual directories, DNS, certificates, authentication, and network policy all have a combined effect.

The aim of the study is to analyze the conditions for connecting Outlook 2010 to Exchange Server 2019 on the basis of official technical documentation, to systematize possible failures, and to propose a reproducible diagnostic methodology for administrators. The object of the study is the corporate email infrastructure, and the subject of the study is the protocol, configuration, and security aspects of the Outlook–Exchange connection.

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

Methodologically, the article uses document analysis, the decomposition of functional components, the cause-and-effect classification of failures, and the development of a checklist for laboratory testing. The laboratory table in the article is a template intended for conducting experiments; it does not present artificial results for tests that have not been performed.

1. Architecture of Outlook 2010 and Exchange Server 2019

Outlook 2010 runs on the user's computer and displays the messages, calendar entries, and contacts stored in the mailbox. Exchange Server 2019, in turn, stores mailboxes and processes client requests through the corresponding services. DNS names, Autodiscover, HTTPS, and server certificates play an important role in the connection process.




Figure 1. Simplified logical architecture of the connection between Outlook 2010 and Exchange Server 2019.

MAPI (Messaging Application Programming Interface) is an interface that enables Outlook and Exchange to work with mail data. MAPI over HTTP carries this communication over an HTTP-based transport. According to Microsoft documentation, MAPI over HTTP can be enabled at the organization level in Exchange 2016 and Exchange 2019 environments; however, the virtual directories and client requirements must also be configured correctly [1].

Important clarification: Microsoft's Exchange Server supportability matrix indicates that Outlook 2010 SP2 with the relevant updates — KB2956191 and KB2965295 (the April 14, 2015 updates) — connects to Exchange 2019 via MAPI over HTTP. At the same time, Outlook 2010 can also use Outlook Anywhere (RPC over HTTP) when working with this server [1]. Thus, a connection may be possible at the protocol level, but this does not mean that the legacy product is supported today.

The Autodiscover service helps the Outlook client automatically determine the mail server's connection settings. If the DNS records or the Autodiscover virtual directory are configured incorrectly, profile creation and the connection to the server may fail.

2. Support and Compatibility Limitations

When assessing the problem, it is necessary to distinguish between two concepts: 1) the technical possibility of connecting via a protocol; 2) official support of the configuration by the vendor. Although Outlook 2010 SP2 with the updates is listed in the MAPI over HTTP matrix, support for Outlook 2010 ended on October 13, 2020 [2].

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

Furthermore, Microsoft support for Exchange Server 2019 ended on October 14, 2025. A server installation may continue to run, but standard technical support, bug fixes, and security updates are no longer provided [3]. For this reason, choosing this combination for a new production environment in 2026 is not recommended.

Product / capability	Official status or requirement	Practical conclusion
Outlook 2010	Support ended on October 13, 2020 [2]	No security or maintenance updates are available.
Exchange Server 2019	Support ended on October 14, 2025 [3]	A migration plan must be developed.
Outlook 2010 SP2 + KB2956191 and KB2965295	Listed in the MAPI over HTTP matrix for Exchange 2019 [1]	This is protocol compatibility, not full product support.
Outlook Anywhere	Documented as an alternative connection method for clients that do not support MAPI over HTTP [1]	Server configuration and client requirements are checked separately.
MAPI over HTTP	Supported in Exchange 2019; virtual directories must also be configured [1]	Enabling the organization-level parameter alone is not enough.

3. Main Problems and Their Resolution

1. Client Application and Protocol Compatibility

The legacy architecture and update level of Outlook 2010 are the first factors to check when investigating connection problems. In particular, the absence of Outlook 2010 SP2 or of the updates required for MAPI over HTTP may cause errors in protocol selection and connection.

Recommended checks: determine the Outlook version and bitness; verify that SP2 is installed; confirm that the KB2956191 and KB2965295 updates, or the corresponding later updates, are present; perform the test using a separate Outlook profile. Before installing updates, the organization's software policy and backup procedures must be followed.

2. MAPI over HTTP Settings

In Exchange 2019, the status of MAPI over HTTP can be checked using the Exchange Management Shell:

```
Get-OrganizationConfig | Format-List MapiHttpEnabled
Get-MapiVirtualDirectory | Format-List Identity,InternalUrl,ExternalUrl
```

If the organization's policy and client compatibility require it, the command to enable the parameter is as follows:

```
Set-OrganizationConfig -MapiHttpEnabled $true
```

Before running the command, the existing configuration should be exported, the change should be tested in a test environment, and the relevant virtual directory settings should be evaluated. Setting the parameter to True should not be taken to mean that all connection errors with Outlook 2010 will be eliminated.

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

3. Autodiscover and DNS Issues

The Autodiscover service helps the client determine the Exchange connection settings. An incorrect DNS record, an incorrect URL, a mismatch between internal and external names, or a certificate name that does not match can disrupt automatic profile configuration.

```
nslookup autodiscover.example.uz
nslookup mail.example.uz
Get-AutodiscoverVirtualDirectory | Format-List Identity,InternalUrl,ExternalUrl
```

The domain example.uz is used as a placeholder for the organization's actual domain. In practice, the names in the commands are replaced to match the organization's real DNS zone and Exchange configuration.

4. TLS Certificate and HTTPS Connection

In an Outlook–Exchange HTTPS session, the validity period of the server certificate, its Subject/SAN names, and the chain of trust on the client computer are important. If the certificate has expired, has been issued for the wrong name, or does not chain to a trusted root certificate, warnings or connection errors will occur.

```
Get-ExchangeCertificate | Format-List Thumbprint,Subject,NotAfter,Services
Test-NetConnection mail.example.uz -Port 443
```

When renewing the certificate, it is necessary to verify that the DNS names in use, such as autodiscover and mail, are included in the certificate's Subject Alternative Name field, that the certificate is bound to the IIS service, and that clients recognize its chain of trust.

5. Active Directory, Mailbox, and MAPI Permissions

Even if the user's password is correct, the Active Directory account may be locked, the mailbox may not have been created, or the MAPI protocol may be disabled for the user. The following commands are used for diagnostics:

```
Get-Mailbox user@example.uz
Get-CASMailbox user@example.uz | Format-List MAPIEnabled
```

If the organization's policy permits it and MAPI is confirmed to be disabled, it can be enabled:

```
Set-CASMailbox user@example.uz -MAPIEnabled $true
```

These actions should be performed only by a specialist with the appropriate Exchange administrator rights. If an account lockout, a password policy issue, or a permissions problem is detected, the Active Directory logs and Exchange logs are analyzed together.

6. Firewall, NAT, and Network Routing

For connections from external clients, TCP port 443 (HTTPS) is usually the main entry point. However, an open port does not in itself guarantee that the server service is working correctly. NAT rules, the reverse proxy, the load balancer, DNS, and TLS termination should also be checked.

```
Test-NetConnection mail.example.uz -Port 443
tracert mail.example.uz
```

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

In line with the organization's security policy, only the necessary ports should be opened, management ports should not be exposed directly to the internet, and connection logs should be monitored.

4. Diagnostic Algorithm and Laboratory Testing Methodology

To identify failures systematically, it is recommended to begin the checks at the lowest layer — DNS and the network — and then proceed to the certificate, the Exchange virtual directories, the mailbox, and the Outlook profile. This approach reduces the likelihood of looking for the same error in different components.




Figure 2. Recommended algorithm for diagnosing the Outlook–Exchange connection.

1. Organizing the Laboratory Work

Laboratory testing should be performed in a separate test environment, using a mailbox that poses no risk to real users' data. Before testing, the Exchange configuration and the state of the test computer are recorded. When Outlook 2010 is used, the test results do not provide a sufficient basis for deployment in a production environment, since the product is no longer supported.

Item checked	Command / action	Result to be recorded
DNS	nslookup mail.example.uz	Returned IP address and DNS response time
Autodiscover	nslookup	A/CNAME record and address

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

DNS	autodiscover.example.uz	
HTTPS port	Test-NetConnection mail.example.uz -Port 443	TcpTestSucceeded value
Certificate	Get-ExchangeCertificate	Subject, NotAfter, Services
Organization MAPI status	Get-OrganizationConfig	MapiHttpEnabled value
Virtual directory	Get-MapiVirtualDirectory	InternalUrl and ExternalUrl
Mailbox	Get-Mailbox user@example.uz	Whether the mailbox exists
MAPI permission	Get-CASMailbox user@example.uz	MAPIEnabled value
Outlook profile	Control Panel → Mail → Show Profiles	Profile creation and connection status

2. Test Results Recording Form

The following table is completed during the laboratory session. The results must be obtained from actual testing; the table presented in the article is not a pre-filled experimental result but a documentation template.

Test No.	Initial state	Observed error / result	Correction made	Final state
1	DNS record is checked	_____	_____	_____
2	TCP 443 connection is checked	_____	_____	_____
3	Certificate is checked	_____	_____	_____
4	MAPI and virtual directories are checked	_____	_____	_____
5	Connection test via the Outlook profile	_____	_____	_____

3. Generalized Analysis of Problems and Solutions

Problem	Possible cause	Check / solution
Outlook cannot find the server	Incorrect Autodiscover or DNS configuration	Check nslookup, the Autodiscover URL, and DNS records
Connection times out	Port 443, NAT, firewall, or routing	Run Test-NetConnection; check proxy and firewall rules

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

Certificate warning	Incorrect name, expired certificate, or chain of trust	Check the certificate's SAN, NotAfter, and CA chain
MAPI connection does not work	Client updates or MAPI configuration	Outlook SP2/updates, MapiHttpEnabled, and virtual directory
Authentication error	AD account, password, or authentication method	Check account status, permissions, and authentication logs
Mailbox does not open	No mailbox exists or MAPI is disabled	Check with Get-Mailbox and Get-CASMailbox
Stability / security risk	Products that have reached end of support	Migration to a supported client and server platform

The table shows that, to resolve a failure, it is first necessary to determine at which layer it occurred. For example, a DNS problem cannot be fixed by recreating the Outlook profile; likewise, the security risk posed by software that has reached end of support cannot be eliminated merely by renewing the certificate.

Conclusion: The technical analysis shows that the problem of connecting Outlook 2010 to Exchange Server 2019 comes down to several interrelated factors. Of particular importance among them are the update level of the client application, the MAPI over HTTP or Outlook Anywhere transport, the Autodiscover and DNS settings, the TLS certificate, Active Directory accounts, and the network infrastructure.

The diagnostic sequence proposed in the article is based on step-by-step verification, starting with DNS and the network and proceeding to the certificate, the Exchange configuration, the mailbox, and the Outlook profile. PowerShell commands enable the administrator to determine the state of MAPI, virtual directories, certificates, and mailboxes. The laboratory table, in turn, is intended for recording test results and ensuring reproducibility.

The final recommendation is that the combination of Outlook 2010 and Exchange Server 2019 may be considered only in a limited, controlled test or temporary environment. The organization's primary email infrastructure, by contrast, should be migrated step by step to supported client and server versions. This approach helps to improve service continuity, ease of administration, and information security.

References

1. Microsoft Learn. MAPI over HTTP in Exchange Server. https://learn.microsoft.com/en-us/exchange/clients/mapi-over-http/mapi-over-http (accessed October 31, 2026).
2. Microsoft Learn. Outlook 2010 — Microsoft Lifecycle. https://learn.microsoft.com/en-us/lifecycle/products/outlook-2010 (accessed October 31, 2026).
3. Microsoft Learn. Exchange Server 2019 — Microsoft Lifecycle. https://learn.microsoft.com/en-us/lifecycle/products/exchange-server-2019 (accessed October 31, 2026).
4. Microsoft Support. End of support for Office 2010. https://support.microsoft.com/en-us/office/lifecycle/officeinstall/end-of-support-for-office-2010 (accessed October 31, 2026).

ISSN: 2224-6878 | Pakistan Volume 6, No. 11.

IF: 14.91 | 2026 http://waerasia.org/index.php/ijtar

5. Microsoft Learn. Exchange Server 2019 and 2016 End of Support Roadmap. https://learn.microsoft.com/en-us/troubleshoot/exchange/administration/exchange-2019-2016-end-of-support (accessed October 31, 2026).
6. Microsoft Learn. Configure MAPI over HTTP in Exchange Server. https://learn.microsoft.com/en-us/exchange/clients/mapi-over-http/configure-mapi-over-http (accessed October 31, 2026).
7. Microsoft Learn. Configure Outlook Anywhere in Exchange Server. https://learn.microsoft.com/en-us/exchange/clients/outlook-anywhere/configure-outlook-anywhere (accessed October 31, 2026).
8. Microsoft Learn. Exchange Server PowerShell. https://learn.microsoft.com/en-us/powershell/exchange/exchange-server (accessed October 31, 2026).
9. Kurose, J. F., Ross, K. W. Computer Networking: A Top-Down Approach. 8th ed. Pearson, 2021.
10. Tanenbaum, A. S., Wetherall, D. J. Computer Networks. 5th ed. Pearson, 2011.
11. Stallings, W. Network Security Essentials: Applications and Standards. 6th ed. Pearson, 2017.